

1. **ACHILLEA MILLEFOLIUM**

COMMON NAME :- MILIFOIL/ YARROW

REMARK:-

Over use can make the skin sensitive to sunlight & it should be taken in small doses. Avoid during pregnancy.



USED IN

ELECTROPATHY REMEDIES - A2 + WE, C7, C11, Ven 4.

FAMILY - Compositae

HABITATS - Meadows & Road Side Of Europe

PART USED - Flower Clusters.

INDICATION: - Anti Inflammatory, Anti - Septic, Anti - Spasmodic. Arteriosclerosis, to Regulate the Menstrual Cycle, Uterine Hemorrhages , To treat wounds, ulcer, sores furuncles, chilblains & cracks , Chronic gastritis, hypochloridia, dyspepsia, liver mal function.

DEFINITION :- It is one of the most used plants in phytotherapy & also one of the plant with the greatest number of common names.


DESCRIPTION :- Leaves - Divided into fine segments, Flowers - White & Pink which Gather in umbrella. , Whole Plant has a camphor aroma.

PREPARATION :- **INFUSION** - 10 Gm. of Flower Cluster of half Liter of Water drink 1 to 2 cups daily. it is better to prepare after harvesting, since when it is prepared earlier it become black in color & sour in taste , **LOTION**: - The fresh juice of the plant directly applied on the effected skin area , **POULTICES** - Plant mashed & heated & use as bandages , **COMPRESS** - With a hot infusion.

2. ACONITUM NAPELLUS
COMMON NAME :- MONKSHOOD

REMARK:-

Monkshood was an arrow-tip poison and a death drink for condemned criminals.



ACONITUM NAPELLUS

USED IN

ELECTROPATHY REMEDIES - F1 + RE+P4+P8+P9+S9+C8+C14.

FAMILY-Ranunculaceae

HABITATS-Europe & America

PART USED :- Root

INDICATION :- It is highly poisonous when plant reaches at maturity, chronic neuralgic pain especially, trigeminal nerve which affects the face Sciatica nerve, to cure drug addiction.

DEFINITION :-Plant with the highest concentrations of poison this concentration is only exceeded by another species.

DESCRIPTION :-Flowers - Beautiful, helmet shaped & maybe darker blue, yellow or white in color, Root - Turnip shaped.

PREPARATION :-Lotion - Alcoholic Tincture, Cream / Ointment: - It is made from hydroalcoholic extract.

CONSTITUENTS :- Alkaloids {Aconite & Napelline}; Glycosides, Resins, Starch, Manitol.

3. **ADIANTHUM CAPILLUS VENERIS**

COMMON NAME :- VENUS HAIR/ MAIDEN HAIR FERN



ADIANTHUM CAPILLUS VENERIS

REMARK:-

The expectorant for chest catarrh, and the stems for a hair wash.



USED IN

ELECTROPATHY REMEDIES - P1 + P2 + P3 + P4+P5+P6+ P7+P8+P9 +Sy.

FAMILY-Polypodiaceae

HABITATS -Southern Europe, Warm region of America.

PART USED - The tiny stems, Leaves, Peduncles

INDICATION :- For dry cough caused by irritation of upper airways., Acute & Chronic Bronchitis., Uterine Anti - Spasmodic Dysmenorrhoea , Strengthens Hair.

DEFINITION :-The Venus hair was one of the most used plants to strengthen & make hair grow at present shampoo & cosmetics.

DESCRIPTION :- Botanically it is fern whose sporangia are located in a fold of exterior boarder of the fronds {The leave like part of ferns }the stems & petioles are tiny smooth & bright. The flavor of the plant is mildly sweets.

PREPARATION :-

1. **INFUSION** :- 15 gm. Of aerial part of plant half liter of water. Sweeten with the honey & drink up to 3-cup a day.

2. **SYRUP** :- 50 Gm. Of the aerial part of the plant half liter of water. Boiling until the liquid reduce to a third Then stain & add around 250 gm of honey take it by spoon full. It is very useful in per sistent cough in children.

CONSTITUENTS :- Tannins, Mucilage, sugar & Essential oil.

4. AESCULUS HIPPOCASTANUM

COMMON NAME :- HORSE CHESTNUT



AESCULUS HIPPOCASTANUM

USED IN

ELECTROPATHY REMEDIES -S9+S10+A2+F1+F2+P4+P8+P9+C7+C11+C14+Sy.

FAMILY-Hippocastanum

HABITATS-Europe & America.

PART USED - Seeds & bark of young branches.

INDICATION :- Stimulating effects on Blood Circulation, Cell, Esculin Powerful action on venous system & Blood Circulation. Infusion, Compress use for varicose vein in legs Thrombophlebitis, Hemorrhoids, Prostate., Use in cosmetics for soothing & protecting skin.

DEFINITION :- The fruit of this tree has a sour taste & people should understand from it. Poisoning has occurred if eaten in great amount.

DESCRIPTION :-

1. Leaves - High, palm shaped toothed & grow in many Groups.
2. Flowers - White & gather in clusters.
3. Fruits - Big, Contain 1 or 2 Seeds.


PREPARATION :-

1. INFUSION - 20 gm. Young leaves barks or seed half liter of water drink two cups daily.
2. COMPRESS - Bark infusion applied on the hemorrhoids or varicose ulceration 5 minut 3 time a day.

CONSTITUENTS :- Esculin, Tannin, Etheral oil, Pectin, Potash, Calcium, Phosphorus.

5. AGARICUS MUSCARIS

COMMON NAME :- TOADSTOOL



AGARICUS MUSCARIS

USED IN

ELECTROPATHY REMEDIES - WE

FAMILY- Fungi

HABITATS - Phyla Homobasidimye, America, Asia, Europe.

PART USED - Fresh stips & pibus. Dried fungus.

INDICATION :- Intoxicate to the Brain producing more vertigo & delirium followed by profound sopar with lowered reflexes.

CONSTITUENTS :- Murcarian.

6. **AILANTHUS GLANDULOSA**

COMMON NAME :- CHINESE SUMACH/TREE



AILANTHUS GLANDULOSA

USED IN

ELECTROPATHY REMEDIES - C13, C14

FAMILY - Simaroubaceae

HABITATS - China, Europe & Britain.

PART USED :- Bark

INDICATION :- Act on G.I.T., Anti-helminthes., Anti - Diarrheic & Emetic Action.


DESCRIPTION :- TREE - Growing to high of about 65 feet with whitish lenticales.

FLOWERS : - Calyx - short cover lapping lobes, Gynaecium formed of carpels.

CONSTITUENT :- Glycoside, Resin, Tannin, and Mucilage.

7. ALLIUM CEPA

COMMON NAME :- ONION



USED IN

ELECTROPATHY REMEDIES- P1+ P2+ P3+ P4+P5+P6+P7+P8+P9+Sy+ Y.E.

FAMILY-Liliaceae

HABITATS - Native to Iran middle East, It is now widely spread & framed all over World.

PART USED :- The Bulb

INDICATIONS :- Anti - biotic against skin infection., Anti - biotic, Mucolytic & Anti-Inflammatory for Expectorant & the pectoral., high blood pressure, obesity, rheumatism, kidney diseases, chronic hepatitis, fatty degeneration of liver, Cosmetics, stimulate hair grow, soothes & makes skin more beautiful, cleans skin with acne.

DEFINITION :- Babylonian physician knew about its modern biochemical research has discovered in the onion extra - ordinary medicinal properties. The onion is anti - biotic, anti - diabetic, aphrodisiac (In spite of its smell) & prevents the intestinal cancer. Eating an onion a day gives abundant health.

DESCRIPTION :- growing upto one meter high during its first year of life it forms the bulb & during second year, the stem grows the plant blooms & renders fruit.

CONSTITUENTS :- Onion is rich in sulphured glycosides, plenty of enzyme, sulphur, iron, potassium, magnesium, fluorine, calcium, manganese & phosphorus, vitamins A,B complex.

8. **ALLIUM SATIVUM**

COMMON NAME :- GARLIC



ALLIUM SATIVUM

USED IN

ELECTROPATHY REMEDIES- VERM 1 + VERM 2 + Sy.

FAMILY- Libiaceae

HABITATS- Asia, It now in formed world-wide.

PART USED :- Bulb

INDICATION:- Raw, Garlic extract, Decoction of garlic cloves, oil & garlic sauce or emulsions are used in: - Hypertension, Hypotension, Blood Thinner., Hypolipidemic, Hypoglycemic, Anti-biotic & Anti-septic, of diarrhoea, gastroenteritis & colitis., Detoxification., Prevent malignant tumour, cystitis, pyelonephritis etc., expectorant, Anti-asthmatic dyspepsia which cause flatulence., Corn remover., expectorant, Anti-asthmatic dyspepsia which cause flatulence., Corn remover., Specially Anti-biotic for salmonella, E-coli, shigella, staphylococcus.

DEFINITION :- Cancer is lowest known.

DESCRIPTION :- Vivacious plant of the libiaceae family, growing from 30-70 cm high, with whitish or reddish flowers. Its root has a bulb composed of several cloves.

DECOCTION OF GARLIC CLOVES - Boil a garlic bulb in a liter of water for five minutes Drink three cup daily. This method has the disadvantage of losing part of its properties, though it avoids bad breath.

9. ALOE CAPENSIS

COMMON NAME :- ALOE



ALOE VERA

USED IN

ELECTROPATHY REMEDIES- Scrofoloso Laxative (Slass)

FAMILY -Labiaceae

HABITATS- America & Asia

PART USED :- Whole Plant

INDICATIONS :-

1. Bitter Aloes is used appetizer, stomachic & cholagogus.
2. It has laxative & emmenagogue properties.
3. Purgative & oxytocic properties.

ALOE GEL OR JUICE :- Wounds, Burns, Lotion are used skin.

DEFINITION :- There is a plant called aloe which grows all over the land. We have observed that, when any of the fleshy leaves of aloe is cut, there is a quick healing on its own surface with the aim of keeping the precious juice. It contains from getting lost.

DESCRIPTION :- growing up to 3-4 meters high through growth of its central axis or stem. It has fleshy, lanceolate, spiky leaves & red or yellow flowers

ALOE GEL OR JUICE - Polysaccharide, glycosides, enzymes & minerals.

10. ALTHEA OFFICINALIS

COMMON NAME :- ALTHEA

REMARK:-

The roots contain natural sugar and were early medicinal sweets and the original marshmallow.



ALTHEA OFFICINALIS

USED IN

ELECTROPATHY REMEDIES -S4+P5+Ven1 to Ven5+G.E.+Sy

HABITATS - Europe & America.

PART USED :- Root, leaves & Flowers.

INDICATIONS :- Laxative in constipation, Anti-inflammatory in gastritis, colitis & gastroenteritis, Digestive mucus membrane irritations, In children, when teeth are erupting.

DEFINATION/ DISCRIPTION :- Sweetness & softness leaves are delicately covered with velvet like hairs. hairy & grow up to 2 meter with large velvet like leaves & white flowers with 5 petals.

INFUSION :- 30 gm. Of young leaves or flowers or roots per liter of water. Drink three or four cups daily, Sweetened with honey.

CONSTITUENTS :- Mucilage, Pectin, Mineral salts, Vitamin - C.

11. ANTHEMIS NOBILIS

COMMON NAME :- SWEET CHAMOMILE/
ROMAN CAMOMILE.



ANTHEMIS NOBILIS

USED IN

ELECTROPATHY REMEDIES-WE.

FAMILY- Compositae

HABITATS- Europe, America.

PART USED :- Flowers

INDICATION :- Anti- Inflammatory, Anti Spasmodic, Anti - Rheumatic, Gall bladder & Liver colic, Menstrual pain, Compress is used in rheumatism, heal wounds.

DESCRIPTION :-

Vivacious plant growing from 10-20cm. High. It is shorter, chamomile has finely divided leaves & flowers which are quite similar to German chamomile.

PREPARATION :- Infusion 5 gm. of flower heads half liter of water drink up to 3 cup daily, Compress - Socked in a decoction made with 20-30 gm of flowers head per liter of water. The cloth is then applied on skin.

CONSTITUENTS :- Etheral oil, Isobutyric acid, Inositol, Methyl - crotonic acid, Glucosides, Anthemicacids, Free fatty acid, Anthosterol.

12. **ARNICA MONTANA**

COMMON NAME :- ARNICA



ARNICA MONTANA

USED IN

ELECTROPATHY REMEDIES- A1 to A3, L2, S7, P3 to P7, Ven5, C6, C12, C14, W.E., A.P.P., Sy.

FAMILY- Compositae

HABITATS- Europe & North South America

PART USED :- Flower & Root

INDICATION :- If used Internally it is Highly poisonous to Nervous System, Use for skin as Anti - Inflammatory, Bruises, Sprain, Hematomas, Use for furuncles, Abscess.

DESCRIPTION :-

The plant is 30 - 50 cm. High, with a composed flowers, bright yellow in color, very exuberant It can be easily mistaken with Inula, whose medicinal properties have not been exhaustively studied. Unlike these false Arnica, True Arnica (ARNICA MONTANA) has only 1 - 2 pairs of leaves, which grows in opposite pairs.

CONSTITUENTS :-

Essential oil Phenolic substances, Flavonoids & Tannin.

13. ARTEMISIA ABROTANUM

COMMON NAME :- Southern Wood



USED IN

ELECTROPATHY REMEDIES- A3,L2,S8,P3, Ven5, C9, C14, C16

FAMILY- Compositae

HABITATS - South East Europe; West Asia.

PART USED :- Leaves & Stem

INDICATION:-

1. Use for insomnia, skin treatment.
2. It is rubbed on the skin to deter flies & placed among cloth to repel moths.
3. The leaf tea is tonic & dispel parasitic worms from children.

DESCRIPTION :-

It is strongly aromatic, shrubby Perennial has semi green thread like leaves & small dense head of yellow florets appearing in summer.

CONSTITUENTS :-

Abrotannin, Tannin, Essence.

14. ARTEMISIA CINA

COMMON NAME :- WORM SEED



ARTEMISIA CINA

USED IN

ELECTROPATHY REMEDIES- VERM 2

FAMILY- Compositae

HABITATS- North of Africa, Eurasia.

PART USED - Flower, Leaves, Shoot.

INDICATION:-

1. INFUSION - Use for the Digestive System, Liver, Gall- Bladder & Blood.
2. Reduces Inflammation.
3. Treats Fever, Expel worms & reduces Toxicity of bad poisoning.

DESCRIPTION :-

This fast growing pungent perennial plant has deeply indented foliage covered in fine hair & small, round, yellow flowers head.

CONSTITUENTS :- Essential oil.

15. ATROPA BELLADONNA

COMMON NAME :-DEADLY BIGHT SHADE



ATROPA BELLADONNA

USED IN

ELECTROPATHY REMEDIES -S12 + C13, C14.

FAMILY- Solanaceae

HABITATS- Southern & Central Europe & South America.

PART USED :- Leaves & Root.

INDICATION:-

- 1) Atropine is parasympathetic which blocks the transmission of nervous pulse at the tip of parasympathetic nervous system.
- 2) Mydriatic-Produces dilatation of pupils
- 3) Antispasmodic, Anti secretory, Anti arrhythmic.
- 4) Used in ophthalmology due to effects on the pupils.
- 5) Antiasthmatic.

DEFINITION :- It is currently irreplaceable in medical science & especially in anesthetics if used in controlled doses. Due to its powerful action the use of its active principal atropine, is safer in medicine of this plant , mildly sweet, look like cherries. Around ten berries can kill adults where three or four berries can kill a child. The poisoning appears with nervous excitation, dilated pupils, blurred vision, dry mouth.

DESCRIPTION :-

Height- 180 cm (May be), Leaves- Oval, Large solitary. , Flowers -Violet color , Berries -Bright black color.

16. AVENA SATIVA
COMMON NAME :- OATS



USED IN

ELECTROPATHY REMEDIES-A1 to A3+S7+S8+P3+P7+Ven 4+Ven5+C7+C9+C11+C12+C14+W.E.

FAMILY- Gramineae

HABITATS- Southern Europe.

PART USED- Bran & Grains.

INDICATION :- Specific for Nervous System, Flakes are used for depression, Insomnia, Physical & Nervous Fatigue, Stress, For Sexual Impotence, Breast-feeding, Gastritis, Colitis & other Digestive problems, Infusion has Sedatives effect on Nervous System.


DEFINITION :- Oat flakes that are prepared by pressing oats into ground grain are an Integral Food which is very popular in Central & Northern Europe.

DESCRIPTION :- It is a Annual Plant grow up to 1 meter height, Its flowers & grains are grouped in pairs.

CONSTITUENTS :- Starch, Carbohydrate, Proteins, Lipid, Vitamin - B, Enzymes, Minerals, Calcium, Phosphorus, Alkaloids, and Silicon.

Medicinal Plants (Electropathy)

17. BERBERIS VULGARIS.
COMMONNAME :- BARBERRY.



USED IN

ELECTROPATHY REMEDIES- F1 + F2,S+5,S+9,S+10,P+4, P+8, P+9,
Ven+5, C+8, C+11, C+14

FAMILY- Berberidaceae

HABITATS - Europe & America

PART USED - Bark, Root

INDICATION :- Cholagogue & Digestive, Laxative., Heart & circulatory invigorating, Diuretic & Febrifuge.

PREPARATION :- INFUSION - 20 gm. of root's bark half liter of water. The maximum dose is 3 cups daily, SYRUP - It is made with mashed fruits then staining & adding twice its weight of sugar in order to avoid fermentation.

CONSTITUENTS :- Glucose, Levulose, Vitamin - C, Citric & Malic acid.

18. BETULA ALBA

COMMON NAME :- BIRCH TREE / WHITE BIRCH



BATULA ALBA

USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven1 to Ven 5+Sy.

FAMILY -Betulaceae.

HABITATS -Europe, Canada, America .

PART USED :- Leaves, Buds & Bark.

INDICATION:- Use for edema, Premenstrual syndrome, Kidney Calculus. ,
Depurative, Skin Afflictions, Decoction is used for to decrease fever ,
Compress is used for Wounds & Sores.

PREPARATION :- **INFUSION** - 10 Gm. of Leaves or buds half liter of water.
Drink up to one liter daily, **DECOCTION**-20 gm. bark half liter of water. Drink
2 cups daily.

CONSTITUENTS :- Flavonoidis Tannin & Essential oil.

19. CANNABIS SATIVA.
COMMON NAME :- HEMP



USED IN

ELECTROPATHY REMEDIES- S4+P5+Ven1 TO Ven 5+Sy

FAMILY - Cannabaceae /

HABITATS - Asia.

PART USED :- Flower & Fruit

INDICATION :- Neuralgic & Rheumatic pain.

DESCRIPTION :- Plant grows up to 1.5 meter high leaves are palm shaped, divided into 5-6 segments with a toothed edge. The flowers are greenish & gather in terminal bouquets.

PREPARATION :- tablespoon of seeds steeping for 10 minutes. Drink 2-3 cups daily.

CONSTITUENTS :- Cannabinol, Cannibidiol, Choline, Trigonelline acid.

20. CAPSELLA-BURSA-PASTORIS

COMMON NAME :- SHEPHERD'S PURSE



CAPSELLA-BURSA-PASTORIS

USED IN

ELECTROPATHY REMEDIES - A 1+S7+P7+C12+B.E.

FAMILY - Cruciferae

HABITATS - World wide.

PART USED :- Whole plant.

INDICATION :- Hemostatic, Oxytocic, Infusion is used for Urine hemorrhages, Labour acceleration, Intestinal atony, Low blood pressure, Epistaxis, Compress use for skin wound & bleeding. .

DESCRIPTION :- Annual plant grow up to 50 cm high. Its leaves grow in the form of a rose, near the soil & it has small, white flowers. The fruits is triangle-shaped.

PREPARATION :- INFUSION -20 gm of plant half liter of water. Steeping for 10 minutes. Drink -2cups daily..

CONSTITUENTS :- Choline, Acetylcholine, Malic acid, Citric acid, Saponin, Potassium, Tannin.,

21. CARDUS BENEDICTUS.

COMMON NAME :- BÉNEDICTINE/HOLY THISTLE



CARDUS BENEDICTUS

USED IN

ELECTROPATHY REMEDIES - C8+C10.

FAMILY - Compositae

HABITATS - Asia


PART USED :- Leaves , Flowers ,Stem, Seeds, Roots.

INDICATION :- Purify and strengthen circulation , Small doses treat digestive problems & infections, Expel catarrh and applied on wound.

CONSTITUENTS - Etheral, Volatile Oil.

22. CAULOPHYLLUM THELECTROL

COMMON NAME :- BLUE COHOSH



CAULOPHYLLUM THELECTROL

USE IN

ELECTROPATHY REMEDIES - C1+C12+Sy

FAMILY -Berberidaceae

HABITATS - America, Asia.

PART USED :- Whole Plants.

INDICATION :- Diuretic, Diuretic, Inducing Menstruation.

DESCRIPTION :-

1. Leaves - Alternate
2. Flowers - Bisexual.
3. Rhizome -Brownish Grey about 4 inches long.
4. Roots - Tough & Pale Brown Color

CONSTITUENTS :- Bitter Principal & Saponin

Medicinal Plants (Electropathy)

23. CETRARIA ISLANDICA (LICHEN)
COMMON NAME :- ICELAND-MOSS



CETRARIA ISLANDICA

USED IN

ELECTROPATHY REMEDIES - F1 + S9+S10+P4+P8+P9+C8+C14+Sy.

FAMILY - Paameliaceae

HABITATS - Europe & America.

PART USED :- Dried Thallus.

INDICATION:- Expectorant, Pectoral, Anti - Tissue, Anti - Tubercular, Anti Emetic during Pregnancy.

DESCRIPTION :-

Moss is 5 - 10 inches long, with light brown stem deeply divided into unequal lobules.

PREPARATION :- DECOCTION - 10 gm. half liter of water boiling for 2 Minutes. Change the Water then in order to eliminate. Sweetened with Honey.

CONSTITUENTS :- Sugar, Gum, Mucilage, Lichen Starch, Potassium, Iron, Sodium, Magnesium.

24. CHELIDONIUM MAJUS

COMMON NAME :- CELANDINE



CHELIDONIUM MAJUS

USED IN

ELECTROPATHY REMEDIES - C8+C10+Y.E.

FAMILY - Papaveraceae

HABITATS - Europe & North America.

PART USED :- Leaves, Roots.

INDICATION :- Nephritic, Asthma, Angina Pectoris., Biliary Colic, Jaundice & Liver Insufficiency., Used for Warts, Herps, & Callus.

DEFINATION :- This plant remarked that swallows restore the sense of site to checks by touching there Eyes with the bit of Celandine.

DESCRIPTION :- Height 30 - 100 cm, Flowers - Yellow, Odour - Fetid.

PREPARATION :- INFUSION 5 gm. of Leaves or Roots per liter of water drink up to 2 cups daily, Externally- Apply some drops directly on the warts or effected skin protecting the healthy surrounding skin with a dressing.

CONSTITUENTS :- Bitter principle, Citric & Malic Acid.

25. CHENOPODIUM ANTHELMINTHIC

COMMON NAME :- JERUSALUMOAK / WORM SEED



**CHENOPODIUM
ANTHELMINTHIC**

USED IN

ELECTROPATHY REMEDIES - Verm 1 + Verm 2 + Sy

FAMILY - Chenopodiaceae

HABITATS - America, Europe.

PART USED :- Leaves & Flowers.

INDICATION :- Stomachic invigorator & carminative, Anti - Helminthic & Vermifugo.

DEFINITION :- People used worm seed because of its medicinal properties. Its leaves & flowers have a strong scent due to Essential Oil.


DESCRIPTION :- It grows from 40 - 100 cm. High with branched stems & yellowish or greenish small flowers.

PREPARATION :- **INFUSION** - 10 Gm. of Flower & Leaves half liter of water Drink one cup daily.

CONSTITUENTS :- Eron, Mucilage, Salts, Saponin.

26. CIMCIFUGA RACEMOSA.

COMMON NAME :- BLACK CHOHOOSH/ BLACK SNAKEROOT



CIMCIFUGA RACEMOSA

USED IN

ELECTROPATHY REMEDIES - WE.

FAMILY - Ranunculaceae

HABITATS - America.

PART USED :- Root.

INDICATION :- Anti-inflammatory, Anti - Spasmodic, Anti - dote, Sedative, Rheumatism, Ease Child Birth, Headache, Cough, Asthma.

CONSTITUENTS :- Palmitic acid.

Medicinal Plants (Electropathy)

27. CINCHONA CALISAYA

COMMON NAME :- YELLOW BARK



CINCHONA CALISAYA

USED IN

ELECTROPATHY REMEDIES F1+F2+S9+S10+P4+P8 +P9+C8+ C14+
B.E.+Sy.

FAMILY - Rubiaceae

HABITATS - West Indies, Australia, Africa.

PART USED :- Bark, Root

INDICATION- Febrifuge, Appetizer, For Hair Loss.

PREPARATION :- Infusion with half teaspoonful of Cinchona Bark in half Cup of Water, Drink One Cup before every meal.

CONSTITUENTS :- Quinine, Quinidine, Cinchonine, Cinchonidine.

28. CINCHONA SUCCIRUBA

COMMON NAME :- RED BARK



CINCHONA SUCCIRUBA

USED IN

ELECTROPATHY REMEDIES F1+F2+S9+S10+P4+P8+C8+C14+ Sy.

FAMILY - Rubiaceae

HABITATS - West Indies, Australia, Africa.

PART USED :- Bark, Root

INDICATION- Febrifuge, Appetizer, For Hair Loss.

PREPARATION :- Infusion with half teaspoonful of Cinchona Bark in half Cup of Water, Drink One Cup before every meal.

CONSTITUENTS :- Quinine, Quinidine, Cinchonine, Cinchonidine.

29. CLEMATIS ERECTA (VITALBA)

COMMON NAME:- VIRGIN BONER/ TRAVELLER'S JOY



CLEMATIS ERECTA

USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven1 to Ven5+Sy.

FAMILY - Ranunculaceae

HABITATS - Europe, Iran, Afghanistan

PART USED :- Flowers, Leaves, Stem.

INDICATION :- Analgesic Leaves given as diuretic, Leaves use as ointment for pain relief, blister, sores & inflammation.

DESCRIPTION :- This deciduous, Scrambling, Semi Woody, Climber has oval leaflets & fragrant greenish white flowers.

CONSTITUENTS :- Anemonin, Saponin.

30. COCHLERIA OFFICINALIS
COMMON NAME :- SCURVY GRASS



USED IN

ELECTROPATHY REMEDIES -L2 + S1to S12+Ven2+Ven3+ Ven5+C9 + C11+Sy.

FAMILY - Cruciferaae

HABITATS - Europe, America

PART USED :- Whole Plant.

INDICATION :- Anti - scrobutic, Appetizer & digestive., Diuretic & depurative., Rubefacient that is attract the blood towards the skin thus reducing the congestion of internal organs.

DEFINATION :- The scurvy grass is still used due to its medicinal properties & fine flavor.

PREPARATION :- JUICE :- Pure juice or mixed with orange use is excellent against asthenia.

CONSTITUENTS :- Vitamin - C

Medicinals Plants (Electropathy)

31. CONDURANGO MARSDENIA

COMMON NAME :- CUNDURANGO / CONDOR PLANT



CONDURANGO MARSDENIA

USED IN

ELECTROPATHY REMEDIES - C15+C16

FAMILY - Asclepiadiaceae

HABITATS - Colombia, Africa, Asia, America.

PART USED :- Bark

INDICATION :- Act on Gastric Aliments.

DESCRIPTION :- Climbing shrub, Flowers - Large green, Corona - Five flat ovate.

CONSTITUENTS :- Quinine, Quinidine, Cinchonine.

32. CONIUM MACULATUM

COMMON NAME :- HEMLOCK / POISON HEMLOCK



USED IN

ELECTROPATHY REMEDIES- P2+P5 to P9+Ven2+Ven 3+C1 to C17+G.E. +Sy.

FAMILY - Umbelliferae

HABITATS - Europe & America

PART USED - Fruits.

INDICATION :- Use for Incurable Pain which produced by Cancer, Lotion are used for pain which produced by neuralgia.


DESCRIPTION :- It grows from 30 - 125 cm. High Its stems is hollow & finally stretch marks.

PREPARATION :- LOTION - It is prepared with 1 gm. of fruit for every 9 gm. of oily solvent Always bear in mind that conine is absorbed

CONSTITUENTS :- Conine, Cicutine, Methylene-Conicine, Gum, Resin, Carotene, Caffeic, Acidic acid & Salts.

33. DAPHNE MEZEREUM

COMMON NAME :- MAZERON/ NEPALI PAPER PLANT



DAPHNE MEZEREUM



USED IN

ELECTROPATHY REMEDIES - C3

FAMILY - Thymelaeaceae

HABITATS - East Himalayas

PART USED :- Bark, Flowers, Leaves, Root, Seed.


INDICATION :- Use as Anti - Septic, Applied on small cuts., Treat Fever, Intestinal Problem, Toxic Seeds Expel Worms

DESCRIPTION :- It is Evergreen Shrub with Cluster of Fragrant, White to Pink Flowers & Small dark berries.

CONSTITUENTS :-Mezerein, Daphnin, Mezerinic aldehyde, Mucilage oil, wax.

34. DICTAMNUS ALBUS

COMMON NAME :- CANDEL PLANT / FRAXINELLA DITTANY



DICTAMNUS ALBUS



USED IN

ELECTROPATHY REMEDIES - Verm I + Verm 2 + Sy.

FAMILY - Rutaceae

HABITATS - Europe.

PART USED :- Leaves., Root & Bark.

INDICATION :- Use as emmenagogue, Digestive, Anti - spasmodic, Vermifuge, Invigorating, Diuretic.

DEFINITION :- Nature surely has bestowed excellent virtues on it. The reason this Renaissance physician gave is interesting. It is beautiful therefore, it is good.

DESCRIPTION :- Growing from 50 - 60 cm. High with leaves resembling those of a bird's tongue & large, aromatic, white or pink flowers.

PREPARATION :- Infusion - With a teaspoonful (2g) of fresh leaves or a tablespoonful of dry leaves half cup of water. Some grams of ground bark can be added to the infusion. Drink up to one cup a day.

CONSTITUENTS :- Gum, Wax & Essence.

35. DROSERA ROTUNDIFOLIA

COMMON NAME :- SUNDEW



DROSERA ROTUNDIFOLIA

USED IN

ELECTROPATHY REMEDIES - P3

FAMILY - Droseracea

HABITATS - America

PART USED - Aerial parts of the Plants.

INDICATION :- Anti - tensive, Anti - biotic, Anti-spasmodic, Acute & Chronic Bronchitis.

PREPARATION :- INFUSION - 10 gm. of plant per liter of water. Drink 4 - 5 cups daily.

CONSTITUENTS :- Acrid Resin, Saponin, Tonic acid, Napthoquinone, Glucose, Propionic acid, Droserin.

36. ECHINACEA ANGUSTIFOLIA

COMMON NAME :- ECHINACEA OR CONE FLOWERS



ECHINACEA ANGUSTIFOLIA

USED IN

ELECTROPATHY REMEDIES - L1+L2+C11+Sy.

FAMILY - Compositae

HABITATS - America & Europe

PART USED - Root.

INDICATION :- Anti - biotic effect on several germs, Polyacetylene with kill Bacteria & Fungi, Immunostimulant, Anti - Inflammatory Anti - toxic & Anti - Viral, Anti - Cancerous., Influenza, Sinusitis, Tonsillitis, Acute & Chronic Respiratory Infection, Snake & Insects bites.

DESCRIPTION :- Plants whose hollow stem grow up to one meter high. It has elongated, hairy, narrow leaves & mauve flowers which grow on the tip of the stems & are quite exuberant.

PREPARATION :- DECOCTION - with 10 gm. of ground root half liter of water. Drink from 3 - 5 cups daily.


CONSTITUENTS :- Terpenes, Cpinene, Thiyone.

37. EUISETUM ARVENSE

COMMON NAME :- HORSE TAIL

REMARK:-

Horsetail provides a yellow dye. In China the stems of Equisetum treat cloudy eyes and cool fevers.



EQUISETUM ARVENSE

USED IN

ELECTROPATHY REMEDIES - P2+C2.

FAMILY - Equisetaceae

HABITATS - Europe & America

PART USED :- Sterile Stem & their Branches.

INDICATION :- Degenerative process of the skin, Conjunctive Tissue, Fragile nail, Breast Flaccidity, Arthrosis, Ulceration, Abscesses, Infected Wounds, Eczema, Osteoporosis, Bone breaking, Arteriosclerosis, Oedema, Gout, Urinary Infection.

DEFINITION :- It is an original plant from a botanical standpoint. It is cryptogamous. It reproduces itself with spores. Which grows in spring.

DESCRIPTION :- It has two kinds of stem, some are fertile, reddish in color without branches. In their tips there is a spike with a spore these stems appear first the other ones are sterile and grow in late spring.

PREPARATION :- Decoction - with 10 gm. of plant one cup of water. Drink from 3 - 5 cups daily, Fresh - Juice of the plant three spoonful with every meal, Compresses - These compresses are directly applied on the affected area, such as breast & anus

CONSTITUENTS :- Equisetin, Silicic acid, Equisetrim, Ferrous oxid, Potassium, Aluminium, Chlorides, Vitamin - C, Tannin & Resin.

38. ERVUM LENS

COMMON NAME :- LENTIL



USED IN

ELECTROPATHY REMEDIES - B.E. & G.E.

FAMILY - Leguminosae

HABITATS - South - West Europe, Bengal, Rajasthan.

PART USED :- Seeds

INDICATION :- Anti - Inflammatory.

DESCRIPTION :-

- * Herb is slender.
- * Height 8 inch.
- * Leaves - Small Pointed.
- * Flowers Purple Blue.
- * Seeds- Small, Lens Shaped.

39. ERYTHRAEA CENTAURIUM

COMMON NAME :- CENTURY



USED IN

ELECTROPATHY REMEDIES - L1 +L2+F1 +F2+S9+S10+P4 +P8+P9+
C8+C11+C14+Sy.

FAMILY - Centianaceae

HABITATS - Britan, Europe, Western - Asia

PART USED :- Leaves

INDICATION:- Act on Digestive System.

DESCRIPTION :-

* Height - 1 - 20 inch.

* Leaves - Elliptical.

* Flowers - Pink.

40. EUCALYPTUS GLOBULUS

COMMON NAME :- BLUE GUM TREE.



EUCALYPTUS GLOBULUS

USED IN

ELECTROPATHY REMEDIES - S4+P1 to P9+Ven1 to Ven5+Sy.

FAMILY - Myrtaceae

HABITATS - Europe / America / Asia.

PART USED :- Leaves & Woods.

INDICATION :- Bronchial Catarrh, Asthma, Acute & Chronic Bronchitis.

Charcoal is used for antidote, Colitis, Diarrhoea, Intestinal Fermentation.

DESCRIPTION :- Tall Tree, Growing up to 100 meter high. It has smooth, light colored trunk & evergreen spear shaped leaves.

INFUSION - 2 Large leaves per cup of water drinks three cup a day, Sweetened with honey.

CONSTITUENTS :- Aldehydes, Essential Oil, Tannin, Resin, Pinene.

41. EVONYMUS EUROPAEUS.

COMMON NAME :- SPINDLY TREE / PRICK WOOD.



EVONYMUS EUROPAEUS

USED IN

ELECTROPATHY REMEDIES -A.P.P.

FAMILY - Celastraceae

HABITATS - Europe, Western Asia, British.

PART USED :- Seeds, Fruit & Barks.

INDICATION :- Act on the liver, Laxative action.

DESCRIPTION :- Height - 25 feet, Leaves - Pointed, Opposite, Bark - Smooth, Grey in colour, Occur in curved pieces, Flowers - Bisexual or Unisexual, Appear in May or June In Small groups, Fruits - Round, 4 Lobed Fleshy Capsule.

42. EUPHORBBIUM OFFICINALIS

COMMON NAME :- SPURGE.



EUPHORBBIUM OFFICINALIS

USED IN

ELECTROPATHY REMEDIES - VERM 1+Sy.

FAMILY - Euphorbeaceae

HABITATS - India

PART USED - Dry Latex.

INDICATION :- Strong Purgatives

DESCRIPTION :-

1. Height - 50 cm.
2. Flowers - Whitish, Minute.
3. Fruits - Small, 1 - 2 mm. in diameter.
4. Stem - Round, Erect, Covered with yellow hair leaves.

Medicinals Plants (Electropathy)

43. EUPHRASIA OFFICINALIS

COMMON NAME :- EYEBRIGHT



USED IN

ELECTROPATHY REMEDIES S12

FAMILY - Scrophulariaceae

HABITATS - Europe

PART USED :- Flowers, Leaves & Shoot.

INDICATION :- General Eye tonic, Treating Strain & Infection, Anti - Septic, Astringent, Inflammatory, Catarrh reducing properties ease the Irritated Eye & Running Nose of Hay Fever & Sinusitis.

CONSTITUENTS :- Tannic acid, Volatile & Acrid bitter

44. FUCUS VESICULOSUS (ALGAE)

COMMON NAME :-SEA WARE / SEA KELP



FUCUS VESICULOSUS



REMARK : In harsh coastal areas Bladderwrack provides sheep and cattle winter fodder and is an organic fertilizer.

USED IN

ELECTROPATHY REMEDIES - L1+L2+C11+Sy.

FAMILY - Eucaceae

HABITATS- Europe

PART USED :- The Thallus

INDICATION :- Acidity, Oesophagic reflex, Hiatus Hernia, Pyrosis., Nourishing, Remineralizing, Anti - Scurvy, Mild Laxative, Hyperthyroidism., Poulitices are use in Cellulitis, Wrinkle, Skin flaccidity.

DEFINITION :-

Algae are water plant with chlorophyll or other coloring substances, whose size vary from micro organism to the size of an earth planet.

DESCRIPTION :-

This plant is brown in color , whose Thallus is formed by tape shaped sheets which stick by their base to under water rocks. The reproductive System of the Algae is Located in its Apex.

INFUSION - 10 gm. extract of dry fucus in half liter of water. Drink two to four cup daily.

CONSTITUENTS :- Algin, Alginic Acid, Fucose, Iodine, Potassium.

Medicinals Plants (Electropathy)

45. GALEOPSIS OCHROLEUCA

COMMON NAME :- HEMP NETTLE



USED IN

ELECTROPATHY REMEDIES - P2+P5+P7+P8

FAMILY - Labiateae

HABITATS - British (U.K)

PART USED :- Leaves

INDICATION :- To treat lungs, intestinal and spleen complaints

DESCRIPTION :-

1. A tall, hairy annual plant.
2. Plants with stem, swellings just grow the notes.
3. Flowers - White & Yellowish in color.

46. GENISTA SCOPARIUS (TINCTORIA)

COMMON NAME :- DYER'S GREEN WOOD



GENISTA SCOPARIUS

USED IN

ELECTROPATHY REMEDIES - W.E.

FAMILY - Leguminosae

HABITATS - Europe.

PART USED :- Flower, Leaves, Bark, Seed.

INDICATION :- Flowering tops used as dye & added to wood dyed blue cloth to turn it Kendal Green, To Treat Tumors, Rheumatism, Diuretics, Purgative & Weak Cardio Active properties

DESCRIPTION :- It is a shrub with golden flowers & small fruit pods with 4 - 10 seed.

CONSTITUENTS :- Gentiin, Gentiopicrin, Genticianin, Tannin, Sugar, Essential Oil.

Medicinal Plants (Electropathy)

47. GENTIANA LUTEA

COMMON NAME :- YELLOW GENTIANA / GENTIAN



GENTIANA LUTEA

USED IN

ELECTROPATHY REMEDIES - SLASS

FAMILY - Gentianaceae

HABITATS - Europe & America

PART USED :- Root.

INDICATION :- Chronic Gastritis with lack of gastric juice, Indigestion, Vomiting, Lack of Appetite, Liver Congestion & Biliary Dysfunction.

DESCRIPTION :- It grows 60 - 100 cm. High with smooth, upright stem which is large oval.

PREPARATION :- 10 gm. per liter of water. Boil for an hour. Drink Half a cup before each meal.

CONSTITUENTS :- Gentiin, Tannin, Sugar, Essential Oil.

48. GLECHOMA HEDERACEA

COMMON NAME :- GROUND IVY



GLECHOMA HEDERACEA

USED IN

ELECTROPATHY REMEDIES - P2+P5+P7+P8

FAMILY - Labiatae

HABITATS - Europe & America

PART USED :- Flower.

INDICATION :- Expectorant & Pectoral for chronic bronchitis, Wounds, Hemorrhoids.

DESCRIPTION :- Vivacious plant of the labitate family. It has ground stems, growing to 25 cm. High & violet, pink & white flowers.

PREPARATION: 10 gm. of flower cluster half liter of water, Drinking 3 - 4 hot cups a day, sweetened with honey.

CONSTITUENTS: - Choline, Phenolic acid & Tannin.

49. GUAIAACUM OFFICINALE

COMMON NAME :- POCK WOOD / GUAIAAC



GUAIAACUM OFFICINALE

USED IN

ELECTROPATHY REMEDIES - W.E.

FAMILY - Zygophyllaceae.

HABITATS - America, Mexico, Colombia, Venezuela & West Indies.

PART USED :- The ground up wood & the resin.


INDICATION :- Balsamic & Expectorant, Diuretic, Sudorific & depurative for Rheumatism, Arthritis, Gout, Hypertension, Arteriosclerosis, Syphilis.

DEFINITION :- Yellowish in colour & very hard.

DESCRIPTION :- Growing up to 10 m. High, with dark, heavy, resinous wood compound leaves with foliaceous & small flowers.

50. HAMAMELIS VIRGINIANA

COMMON NAME :- WITCH HAZAL



HAMAMELIS VIRGINIANA

USED IN

ELECTROPATHY REMEDIES - A2 + Ven3+ Ven4+C7+ C11

FAMILY - Hamamelaceae

HABITATS - United state & Canada, Europe

PART USED - The Leaves & Bark.

INDICATION :- Dry Extract & Infusion use Venotonic for Varicose veins, Phlebitis & Hemorrhoids, Hemostatic, Metorrhagias & Menopausal disorder, Compress is used for skin to activate blood flow also for dermatitis, Dry skin, Eye Washing use for eye Sedatives.

DEFINITION :- The fruit of this tree are woody capsules similar to hazelnuts & when ripe they explode noisily. At present the Hazels is one of the most effective plants known to fight circulatory affliction.

DESCRIPTION :- Growing up to few meters high alternate Oval shaped leaves & Yellow flowers of four tongue - shaped petals.

PREPARATION :- INFUSION - With 20 gm. of Leaves & or Bark half liter of Water. Drink Two Cups Daily, Eye Washing, Use the same Infusion, COMPRESSES - With the Infusion, applied on the afflicted skin area.

CONSTITUENTS :- Hamemeli, Tannin, Oxalate, Calcium, Gallic Acid.

Medicinal Plants (Electropathy)

51. HUMULUS LUPULUS

COMMON NAME:- HOPS

REMARK : It Can
Cause skin allergies.



HUMULUS LUPULUS



USED IN

ELECTROPATHY REMEDIES - L1+L2+C11+Sy

FAMILY - Cannabaceae.

HABITATS - Europe & America

PART USED :- Fruits & Flowers

INDICATION :- Nervous states, Insomnia, Migraine, Sexual Hyperexcitation.,
Dysphasia, Lack of Appetite.

DEFINITION :- This Plants with the name of lupulus, because it overgrows the
gardens where it grows, as if it were a lupus.

PREPARATION :- With 10 gm. of cones half liter of Water, Drinking 3-4
Cups Daily, Dry extract - Up to 2 gm. daily distributed.

CONSTITUENTS :- Linalool, Tannin & Resin.

52. HYDRASTIS CANADENSIS

COMMON NAME :- GOLDEN SEAL.



USED IN

ELECTROPATHY REMEDIES - A1+A2+A3+L2+S1 to S129+P3+P7 + Ven2 to Ven5+C9+C11+C12+C14+C16+Sy

FAMILY - Ranunculaceae

HABITATS - America & Europe.

PART USED :- Rhizome.

PROPERTIES :- Anti - Septic, Anti - Inflammatory, Excessive Menstruation & Leucorrhoea., Conjunctivitis.

DEFINITION :- It is a popular remedy in United State & Canada.

DESCRIPTION :- Growing from 20cm. High. Its Stem grow from an underground root. Large palm shaped, dark green leaves.

PREPARATION :- INFUSION - A spoonful of rhizome in per Cup of Water T.D.S.

CONSTITUENTS :- Canadine, Free Volatile Oil, Hydrastine, Resin, Starch.

53. **HYOSCYAMUS NIGER**

COMMON NAME :- HENBANE

REMARK : In Large doses in can cause coma of convulsions and should be used by qualified personnel only.



HYOSCYAMUS NIGER

USED IN

ELECTROPATHY REMEDIES - P3

FAMILY - Solanaceae

HABITATS - Central Europe, America

PART USED :- Leaves

INDICATION :- Anti - Spasmodic, Analgesic & Narcotic, Asthma, Toothache, Ointment for Rheumatism, Gout.

DEFINITION :- Henbane was used in Babylon to heal toothache.

DESCRIPTION :- Height of up to one meters. It flowers are a pale yellow, Covered with a net of thin violet capillaries.

PREPARATION :- Infusion - 10 gm. of Leaves half liter of Water. Drink Two Cup Daily, Powder of Dry Leaves. The maximum tolerated daily dose is one gram.

CONSTITUENTS :- Hyoscyamine, Salt, Gum, Atropine, Scopalamine, Starch & Oil.

54. IMPERATORIA OSTHRUTIUM

COMMON NAME :- HOG FENNEL / MASTER WORT



IMPERATORIA OSTHRUTIUM

USED IN

ELECTROPATHY REMEDIES - Verm1+Sy.

FAMILY - Umbelliferae

HABITATS - Europe & Britain

PART USED :- root & seeds

INDICATION :- Anti - spasmodic, Carminative, Emmenagogic


DESCRIPTION :- Height - 10 feet , Root - blackish. , Stem - erect, branched, hollow, Leaves - lower leaves bitripinnatifid, basal leaves sheathed, Fruits - ovoid.

CONSTITUENTS :- angelic acid, essence, pectin, resin, tannin.

Medicinal Plants (Electropathy)

55. LEDUM PULUSTRE

COMMON NAME :- MARSH TEA



USED IN

ELECTROPATHY REMEDIES - C6

FAMILY - Ericaceae

HABITATS - Europe, America.

PART USED :- leaves

INDICATION :- Diuretics, Anti - cough External application for itching.

DESCRIPTION :- Shrub- 1 -3 feet high. Stem - erect, shrubby, slender, Leaves - alternate & sessile.

56. LOBELIA INFLATA (SIPHILITICA)

COMMON NAME :- INDIAN TOBACCO (GIANT LOBELIA)



LOBELIA INFLATA

USED IN

ELECTROPATHY REMEDIES - S11

FAMILY- Lobeliaceae

HABITATS- North america

PART USED :- whole plant

INDICATION :- Anti - emetic, Anti - asthmatic, Diaphoretic., Expectorant, Sedatives.

DESCRIPTION :- Stem - 20 inch. High, erect & angular. Leaves - alternate, Flowers - pale blue, Fruits - swollen & dark brown

CONSTITUENTS :- lebelile, lobelidine, lobelanin, isolobalile.

57. LYCOPODIUM CLAVATUM.

COMMON NAME :- CLUB MOSS, STAG'S HORN



LYCOPODIUM CLAVATUM.

USED IN

ELECTROPATHY REMEDIES - S2+S4+Ven2+Ven3

FAMILY - Lycopodiaceae

HABITATS - Europe & North America.

PART USED :- Spores.

INDICATION :- Gastric & urinary disorder, Anti - spasmodic, Sedative's, Wounds & eczema.

DESCRIPTION :- This toxic, evergreen, moss-like herb has trailing stems, upright branches & developing cones ripe spores.

58. MALVA SILVESTRIS (MOSSHIA

COMMONNAME :- MALLOW/MUSK MALLOW



MALVA SILVESTRIS

USED IN

ELECTROHOMEOPATHY REMEDIES - A1 to A3+L2+S7+S8+P3+P7
+C7+C9+C12+C14+C16+Sy.

FAMILY - Malvaceae

HABITATS - Europe & America.

PART USED :- Flowers, leaves, shoot, root.

INDICATION :- It contains vitamin a, b, c, Used for soothing skin, Cough syrup.

DESCRIPTION :- It has faintly musky, elegantly cut leaves & round shallow lobed leaves with large white & pink flowers.

CONSTITUENTS :- Mucilage, Malvine, Malvidine, Tannin

59. MATRICARIA CHAMOMILLA.

COMMON NAME :- GERMAN CHAMOMILLA / CHAMOMILE



MATRICARIA CHAMOMILLA

USED IN

ELECTROPATHY REMEDIES - L2+S1to S9+S11+S12+Ven2+Ven5+C8+C9+C11+Sy.

FAMILY - Compositae

HABITATS - Europe & India.

PART USED :- Flowers & Essential oil.

INDICATION :- Soothe nervous stress, Digestive problem, Ulcerated or inflamed. Bowels, Excess intake weakens stomach muscles.

DESCRIPTION :- It has fine foliage & honey daisy flowers with white petals & conical centers.

CONSTITUENTS :- Volatile oil with bitter principles, anethole, apigenin & glycosides.

60. MELISSA OFFICINALIS

COMMON NAME :- COMMON BALM'S / BALM'S



MELISSA OFFICINALIS

USED IN

ELECTROPATHY REMEDIES - S11

FAMILY - Labiatae

HABITATS - Europe & America

PART USED :- leaves & flowers.

INDICATION :- Anti - spasmodic, anti - septic, Sedative's carminative., Stress & depress, Insomnia, Any menstrual pain, Anti - fungal & anti - viral.

DEFINITION :- Balm has the admirable properties of giving comfort & joy fullness.

DESCRIPTION :- Height - 30- 70 cm, Leaves - toothed.

PREPARATION :- Infusion -10 gm. of plant half liter of water. Drink one cup daily, Compress applied with an infusion of 30 - 50 gm. per liter of water.

61. MENYANTHES TRIFOLIATA

COMMON NAME :- BUCK BEAN / BOG BEAN.



MENYANTHES TRIFOLIATA

REMARK : Excess doses of the whole plant may cause vomiting and diarrhoea.



USED IN

ELECTROPATHY

REMEDIES - L1 + W.E.

FAMILY - Menyanthaceae

HABITATS - Europe / Asia


PART USED :- Flowers, Leaves, Root

INDICATION :- Use as tonic to cleans the blood, Stimulate appetite, Rheumatic pain, Irregular menstruation.

CONSTITUENTS :- Melyanthine, choline, gum, saponin, tannin.

62. MYRTUS COMMUNIS

COMMON NAME :- MYRTLE/SWEET MYRTLE



MYRTUS COMMUNIS

REMARK : It used in bridal wreaths as a symbol of beauty and chastity.



USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven 1 to Ven5+Sy.

FAMILY - Myrtaceae

HABITATS - North Africa.

PART USED :- Flowers, Leaves, Fruit nuts.

INDICATION :- Anti - septic, astringent, Decoction - use for bruise & haemorrhoids, Essential oil for gingivitis.

DESCRIPTION :- Shrub - dense & evergreen, Leaves - aromatic, Flowers - creamy white, Berries - blue black.

CONSTITUENTS :- Myrtenol, myrtol, aldehydes, resin, tannin.

63. NASTURTIUM OFFICINALIS

COMMON NAME :- WATER CRESS



NASTURTIUM OFFICINALIS

USED IN

ELECTROPATHY

REMEDIES - L2+S1 to S12+Ven2 + Ven3+Ven5+C8+C9+C11+Sy.

FAMILY - Cruciferae

HABITATS - Europe & Asia

PART USED :- Flowers , leaves, stem.


INDICATION :- Diuretic, Expectorant, Tonic for anaemia, Prevent scurvy., Cleans the blood & clean skin., Folk T.B. treatment.

DESCRIPTION :- This aquatic herb has pungent, compound leaves & small white flowers in spring & summer.

CONSTITUENTS :- Isobutyl, isothiocyanate, oxalic acid & vitamin - c.

64. OXALIS ACETOSELLA

COMMON NAME :- WOOD SORREL



OXALIS ACETOSELLA

USED IN

ELECTROPATHY REMEDIES - L1+L2+C11+Sy.

FAMILY -Oxalidaceae

HABITATS - Europe & Asia.

PART USED :- Flowers, Leaves & Root

INDICATION :- Astringent & diuretic , To treat fever & urinary problems, Use to remove cancerous growth from lips, External wash for rashes & boils.

DESCRIPTION :- It has creeping rhizome trifoliate leaves & white flowers the leaves & flowers droop at night.

CONSTITUENTS :- Potassium binoxalate , ascorbic acid, mucilage.

65. PETROSELINIUM SATIVAM

COMMON NAME :- PARSLEY



PETROSELINIUM SATIVAM

USED IN

ELECTROPATHY REMEDIES - P2+C2 + W.E.

FAMILY - Umbelliferae

HABITATS - South Europe

PART USED :- Leaves, root ,stems, seeds.


INDICATION:- Tonic for hair skin & eyes, Diuretic; Reduced the release of histamine, Relieve rheumatism., Tone uterine muscles after birth, Sooth. Sprain & cuts.

DESCRIPTION :- Roots - tap rooted, Stem - triangular., Leaves - toothed & curled.

CONSTITUENTS :- Apiine, essence mucilage.

66. PHELLANDRIUM AQUATICUM

COMMON NAME :- WATER DROPWORT



PHELLANDRIUM AQUATICUM

USED IN

ELECTROPATHY REMEDIES - P1 to P9+Sy.

FAMILY - Umbelliferae

HABITATS - Europe & Britain.

PART USED :- Fruit

INDICATION :- Diuretic, Expectorant.

DESCRIPTION :- Fruit - 1/6 inch, convex & flat surface.

CONSTITUENTS :- Oil & Alkaloids.

67. PHYTOLACCA DECANDRA

COMMONNAME :- POKE ROOT/POKEWEED



PHYTOLACCA DECANDRA

USED IN

ELECTROPATHY REMEDIES - P5to P9+Ven3+C7+C10+C11+G.E.

FAMILY - Phytolaccaceae

HABITATS - America.

PART USED :- Leaves

INDICATION :- Anti-inflammatory for swollen throat, Purgative, narcotic, Expell catarrh, kill sperms.

DESCRIPTION :-It is toxic herbs has fetid foliage & white pinkish flowers followed by green berries.

CONSTITUENTS :- Phytolaccine, phytolaccic acid, Saponnin, Starch, sugar, Resin, Tannin.

68. PIMPINELLA SAXIFRAGA

COMMON NAME :- BLAK CARROWAY / BURNET



PIMPINELLA SAXIFRAGA

USED IN

ELECTROPATHY REMEDIES - P5 to P9+Ven2+VeN3+Ven4+C1 to C17

FAMILY - Umbelliferae

HABITATS - Europe

PART USED :- Roots, umbels.

INDICATION :- Anti - tissue, Diuretic, Expectorant, Calms nervous excitation.

DESCRIPTION :- Height - 50 inch, Root - spindle shaped., Leaves - pinnate, dentate, Stems - erect & delicate, Bark - thick, Fruit - oval.

CONSTITUENTS :- Essential oil, saponin, pimpinellin.

69. PINUS MARITIMA

COMMON NAME :- SUGAR PINE



PINUS MARITIMA

USED IN

ELECTROPATHY REMEDIES - B.E.

FAMILY - Pinaceae

HABITATS - World Wide

PART USED :- Sweet liquid exuded from plant.

INDICATION :- Expectorant, Laxative, Bronchitis

DESCRIPTION :- Leaves - cluster, long & needle like, Cones - male cones produce pollen grain.

CONSTITUENTS :- Resin, turpentine oil.

70. PINUS NIGRA

COMMON NAME :- SCOTCH PINE



USED IN

ELECTROPATHY REMEDIES - BLUE ELECTRICITY APP.

FAMILY - PINACEAE

HABITATS - Asia & Europe

PART USED :- leaves, stem, root, fruit, wood, gum.

INDICATION :- For Expectorant, Inhalation for Bronchitis, For easing aches & pains, For hair growth

DESCRIPTION :- It is peeling, red brown tall aromatic pine contrasts with its blue green needle leaves.

CONSTITUENTS :- Turpentine oil, Resin.

71. **PODOPHYLLUM PELTATUM**

COMMON NAME :- DUCK'S FOOT / WILD LEMON



PODOPHYLLUM PELTATUM

USED IN

ELECTROPATHY REMEDIES - C8+C10+Y.E.

FAMILY - Berberidaceae.

HABITATS - America

PART USED :- Resin of the root.

INDICATION :- Cholagogue, Antimitotic for Condyloma, Papilloma, Warts, Viral tumour

DESCRIPTION :- Herb-Thick fleshy & Juicy, Flower- White color & grow at the fork of the petiole, Root -Smooth, horizontal & cylindrical.

CONSTITUENTS :- Podophyllin, podophylliic acid, picropodophyllin.

72. POLYGALA AMARA

COMMON NAME :- BITTER MILK WORT



POLYGALA AMARA

USED IN

ELECTROPATHY REMEDIES - P1 to P9+Synthesis

FAMILY - Polygalaceae Siliceaeceae

HABITATS - Europe & America.

PART USED :- Dried (Plant) Leaves


INDICATION :- Anti-Ptussive, Acts on Resp System

DESCRIPTION :- Fruit- Capsular, Flower- Pink White, Leaves-Smooth

CONSTITUENTS :- Saponin

73. POPULUS ALBUS

COMMON NAME :- SILVER FERN LEAF / WHITE POLAR



POPULUS ALBUS

USED IN

ELECTROPATHY REMEDIES - G. E.

FAMILY - Salicaceae

HABITATS - Europe, America.

PART USED :- Young buds, bark, wood.


INDICATION :- Anti-inflammatory, Anti-rheumatic, Balsamic, Expectorant
Hemorrhoids, Heals wound & Bruises.

DESCRIPTION :- Fruit- Capsular, Buds - White hairy, Leaves- Toothed.

CONSTITUENTS :- Salicin, Populin.

74. POPULUS TRIMULOIDES

COMMON NAME :- TREMBLING POPULAR / AMERICA ASPEN.



USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven1 to Ven5+C17+G.E.+Sy.

FAMILY - Silicaceae

HABITATS - North America, Europe.

PART USED :- Bark.

INDICATION :- Act as a nerve tonic, Stimulant, Diuretic.

DESCRIPTION :- Height 50-60 feet, Leaves - Broad, green, Bark - Grey & smooth, Flowers - Male catkins have radish ather, Female catkins have one purple stigma.

CONSTITUENTS :- Populin.

75. PULMONARIA OFFICINALIS.

COMMON NAME :- LUNG WORT.



PULMONARIA OFFICINALIS

USED IN

ELECTROPATHY REMEDIES -L1+L2+C11+Sy.

FAMILY - Boraginaceae

HABITATS - Europe

PART USED :- Flowers, leaves & shoot.

INDICATION :- Expectorant, Diuretic & astringent, Help in cell regeneration, Diarrhoea, hemorrhoids, Throat irritation, sooth lungs, Expel catarrh, cough, and bronchitis.

DESCRIPTION :- Rhizome - creeping, Leaves- white spotted, Flowers - cluster.

CONSTITUENTS :- Bitter astringent, mucilage.

76. PULSATILLA VULGARIS.

COMMON NAME :- WILD FLOWERS PASQUE FLOWER.



PULSATILLA VULGARIS

USED IN

ELECTROPATHY REMEDIES - A3+L2+S8+P3+Ven5+
C9+C14+C16+Sy.

FAMILY - Ranunculaceae

HABITATS - Europe.

PART USED :- leaves, flower, stem.

INDICATION :- Sedative & reduced pain. , Nervous stress,
spasm, Headache, tension, exhaustion, Otagia, neuralgia.

DESCRIPTION :- It has soft hair finally divided leaves & bell
shaped, spring flowers which become feathery seed heads.

CONSTITUENTS :- Potassium sulphate, amonic acid, oil of anemone.



77. RHEUM PALMATAUM

COMMON NAME :- RHUBARB.



RHEUM PALMATAUM



USED IN

ELECTROPATHY REMEDIES - S3

FAMILY - Polygonaceae.

HABITATS - China & Tibet / Asia.

PART USED :- Leaves, stem, root.

INDICATION :- Laxative, appetizer, diarrhoea, digestive stimulant , Disperse blood clot , Jaundice, fevers , Anti - septic, Anti - inflammatory , Inhibit the cancer cells.

CONSTITUENTS:- Calcium Oxalate, Anthranalics, anthraquinons, sugar, pectin, resin.

78. RHODODENDRO FERRUGINEUM

COMMON NAME :- SNOW ROSE / ROSEBAY.



RHODODENDRO FERRUGINEUM

USED IN

ELECTROPATHY REMEDIES - P5

FAMILY - Eriacaceae

HABITATS - Europe

PART USED :- Leaves & Flowers.

INDICATION :- Diuretic, Anti - neuralgic, Anti - rheumatic.

DESCRIPTION :- Shrub - bushy & evergreen, Height - 3-5 feet, Leaves - dark green, Fruit - oblong capsular, Seeds - flattened

CONSTITUENTS :- Glucose, resin, rhodoxanthin, arbutin.

79. RHUS AROMATICA.

COMMON NAME :- FRAGRANT SUMACH / POISON OAK.



RHUS AROMATICA

USED IN

ELECTROPATHY REMEDIES - Ven2+C17

FAMILY - Anacardiaceae

HABITATS - America & Canada.

PART USED :- Leaves, root, bark, fruits.

INDICATION :- Diuretic, Haematuria, Renal & urinary affection especially diabetes.

DESCRIPTION :- Height - 60 meters, Leaves - pinnate, bright red, Flowers - greenish, Fruit - crimson coloured.

CONSTITUENTS :- Pepsin & resin.

80. RHUS TOXICODENDRON

COMMON NAME :- POISON IVY



RHUS TOXICODENDRON

USED IN

ELECTROPATHY REMEDIES -P5 to P9+Ven2+C1 to C17+Sy.

FAMILY -Anacardiaceae

HABITATS - America

PART USED :- Fresh leaves.

INDICATION:- Skin irritation, eczema, Vascular erysepalas, pamphigus, Inflammation of G.I.T, lungs.

DESCRIPTION :- Height 2 feet, Stem - branched, Leaves - inconsistent in shape, Flowers - small greenish white in color, Fruit - globular & greyish.

CONSTITUENTS: phenolic oil, resin.

81. ROSA CANINA.

COMMON NAME :- DOG ROSE



ROSA CANINA

USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven1 to Ven5+R.E.+Sy

FAMILY - Rosaceae

HABITATS - China

PART USED :- Flower, Fruit, Leave & Essential oil.

INDICATION :- Revives tired eyes & skin, Valued by aroma therapists

DESCRIPTION :- It is mainly deciduous with prickly stem.

82. ROSMARINUS OFFICINALIS.

COMMON NAME :- ROSEMARY.



ROSMARINUS OFFICINALIS

REMARK- The distilled oil of the flowering is invigorating, antibacterial, and anti-fungal, It stimulates the central nervous system and blood circulation, relieving muscular pain.

USED IN

ELECTROPATHY REMEDIES - R..E.

FAMILY - Labiatae

HABITATS - Well drained soils, Sun, Asia, America

PART USED :- Flowers, leaves, shoot & essential oil.

INDICATION :- Leaves - ancient severy herbs, Flowers - used fresh as a garish, or crystallized as decoration, Distilled water of flowers makes shooting eye wash, Stimulant circulation & eases aching joints by increase blood supply.

DESCRIPTION :- It is a dense, evergreen, aromatic shrub with resinous. Needle like leaves & soft.

CONSTITUENTS :- Cineal, Barnevlacetate, Comphar, Volatile oil.



83. RUTA GRAVEOLENSE

COMMON NAME :- RUE.



RUTA GRAVEOLENSE

USED IN

ELECTROPATHY REMEDIES - Verm2+W.E.+
Y.E.+Sy

FAMILY - Rutaceae

HABITATS - South Africa

PART USED :- Seeds, Leaves & Essential Oil.

INDICATION :- Leaves - rich in iron & minerals & use for tired eyes, Oil - used for perfume, Its has anti - spasmodic action treat high B.P, Rue work as a stimulants.


DESCRIPTION :- This evergreen sub shrub yellow summer flowers & deeply divided.

CONSTITUENTS :- Ruin, Salicylate, Acetic Ether, Valerianic, Tannin.



84. SALIX ALBA

COMMON NAME :- SILVER WILLOW/ WHITE WILLOW



USED IN

ELECTROPATHY REMEDIES - F1 + F2+S9+S10+P4+P8+P9+C14+Sy.

FAMILY - Salicaceae

HABITATS - Europe, West Asia

PART USED :- Leaves, Shoot wood, Bark.

INDICATION:- Stem - use as pain killer & reduce fever, Bark - extract for sore throat gargles, & heart burn, food poisoning, Leaves - for nervous insomnia & are added to bath to ease rheumatism, Root - treat leukemia & restore bones.

DESCRIPTION :- Deeply fused dark Grey bark, elegant branches & spring catkins marks.

CONSTITUENTS :- Tannin, Salicin.

85. SALVIA OFFICINALIS

COMMON NAME :- GARDEN SAGE/SAGE.



SALVIA OFFICINALIS



USED IN

ELECTROPATHY REMEDIES - B.E.

FAMILY - Labatiatae

HABITATS - America.

PART USED :- Flowers, Leaves, and Essential Oil.

INDICATION :- Anti - Septic, Blood Tonic, Flowers - as balsamic tea.

DESCRIPTION :- It is an aromatic evergreen with Grey-green textured leaves & blue flowers in summer.

CONSTITUENTS :- Saponin, Essence, Tannin, Resin, Salts, mucilage, oestrogen, Asparagine.

86. SALVIA SCLAREA

COMMON NAME :- CLAY WORT / CLARY SAGE.



SALVIA SCLAREA

USED IN

ELECTROPATHY REMEDIES - B.E.

FAMILY - Labiatae

HABITATS - Europe, Asia.

PART USED :- Flowers, Leaves, Seeds.

INDICATION :- Essential oil is used for flavoring, perfume & cosmetics. It is a powerful relaxant for stress, fatigue, menstrual disorder.

DESCRIPTION :- Colored bracts & large pungent leaves.

CONSTITUENTS :- Essential Oil.

87. **SAMBUCUS NIGRA.**

COMMON NAME :- ELDER./EUROPEAN ELDER



SAMBUCUS NIGRA

USED IN

ELECTROPATHY REMEDIES - F1+F2+S9+P4+P8+P9+C14+G.E+Y.E+SY

FAMILY - Caprifoliaceae

HABITATS - Europe, Asia.

PART USED :- Flowers, Leaves, shoot, Root, Fruit.

INDICATION :- For cold , Hay fever, Sore throat, Arthritis, Epilepsy, Mild laxative, Treat fracture & Muscle spasm

DESCRIPTION :- It is a common , deciduous, shrub like tree. Leaves creamy white. Flowers white & wine colored berries.

CONSTITUENTS: Glycoside , Sambunigrine, Malic acid , Carotene , Resin , Potassium nitrate, Sugar , Tannin.

88. SANGUINARIA CANADENSIS

COMMON NAME :- BLOOD ROOT



SANGUINARIA CANADENSIS

USED IN

ELECTROPATHY REMEDIES -A1 to A3 +L2+S7+S8+P3+P7+Ven4+Ven5
+C7+C9+C11+C12+C14+C16+W.E.+Sy.

FAMILY - Papveraceae

HABITATS - Canada, America

PART USED :- Root

INDICATION :- Local anaesthetic, Chronic cough , Sore throat, Fever, Anti-bacterial, Anti-viral

DESCRIPTION :- Rhizome - Creeping, Leaves - Single , large , folded at first.
Flowers - White.

CONSTITUENTS :- Allocryptopine, Chelerythrine, Protopine, Sanguinarine.

89. SANGUISORBA OFFICINALE

COMMON NAME :- SALAD BURNET/ GREAT BURNET



SANGUISORBA OFFICINALE

USED IN

ELECTROPATHY REMEDIES - W.E.

FAMILY - Rosaceae

HABITATS - Europe, North Africa, Asia.

PART USED :- Flower, Leaves, Stem, Root.

INDICATION :- Contain vitamin-C, Heals sun burns, Mild, diuretic Reduce tooth decay.

DESCRIPTION :- It has creeping rhizome, tufts, pinnate foliage & slender stem with sphere of red tipped green blooms.

90. SCOLOPENDRIUM OFFICINALE

COMMON NAME :- HART'S TONGUE



SCOLOPENDRIUM OFFICINALE

USED IN

ELECTROPATHY REMEDIES - F2

FAMILY - Polypodiaceae

HABITATS - Europe

PART USED :- Fronds.

INDICATION:- Chalogic, Expectorant , Used as face pack for soothing skin.

DESCRIPTION :- Rhizome - Small , scaly , reddish., Fronds - Erect , glossy , 30 inches long.

CONSTITUENTS :- Aromatic bitter substance , Gallic acid Mucilage , Tannin.

91. SCROPHULARIA NODOSA

COMMON NAME :- FIGWORT / KNOTTED FIGWORT



SCROPHULARIA NODOSA

USED IN

ELECTROPATHY REMEDIES

S1 to S12+, Ven 2 + Ven 5 + C8 + C9 + C11 + SY + A.P.P

FAMILY - Scrophulariaceae

HABITATS - Europe

PART USED :- Flower, Leaves, Root, Shoot.

INDICATION :- Blood cleansing tonic., Diuretic, Stimulate Heart & Avoid rapid heartbeat., Poultice apply for Gangrene, swollen lymph glands., Psoriasis, Swelling, Boils, Small wounds,.

DESCRIPTION :- This Plant has narrow, pointed stem. Leaves wider base. Flowers purple brown colored. Capsular round seed.

CONSTITUENTS :- Acetic acid, Carbohydrates, Ether, Extract.

92. SIMARUBA AMARA

COMMON NAME :- MOUNTAIN DAMSON



SIMARUBA AMARA

USED IN

ELECTROPATHY REMEDIES - L1+C2+C11+SY

FAMILY - Simarupacae

HABITATS - Asia

PART USED :- Bark


INDICATION :- Act as a tonic, Used for weakened digestion

DESCRIPTION :- Bark - occur in flat place, yellowish or greenish color

CONSTITUENTS :- Quassin, Simarubin

93. SMILAX MEDICA

COMMON NAME :- SARSAPARILLA



SMILAX MEDICA

USED IN

ELECTROHOMEOPATHY REMEDIES

L2+S1 to S12+Ven1 to Ven5 + C8+C9+C11+SY+A.P.P

FAMILY - Libiaceae

HABITATS- Central & South America

PART USED :- Root, Stem, leaves.

INDICATION :- Rheumatism , Arthritis, Renal calculi , Nephritis, Influenza ,
Fever, Lack of appetite, Poor digestion, Acne & Eczema

DESCRIPTION :- Root - Rusty brown, Stem - Angular, Leaves - Smooth ,
Cordate, Fruits - Red , Seeds - Round

94. SOLANUM DULCAMARA

COMMON NAME :- BITTER SWEET



SOLIDAGO VIRGAUREA

USED IN

ELECTROPATHY REMEDIES- Ven1 to Ven5 +S4+P5+Sy

FAMILY - Solanaceae

HABITATS - Asia

PART USED :- Fruits, Leaves, Root, Stem, Seed.

INDICATION :- Aphrodisiac & Astringent, Itch & Ringworm, Asthma, Colic, Cough, Reduces high Blood Pressure & Menstrual pain, Diabetes.

DESCRIPTION :- It is a toxic shrubby climber whose taste bitter, then sweet.

CONSTITUENTS :- Bitter substance, Dulcamarine, Dulcamarinic acid, Pectin, Solanin, Tannin

95. SOLIDAGO VIRGAUREA

COMMON NAME :- GOLDEN ROD



USED IN

ELECTROPATHY REMEDIES - S6

FAMILY - Compositae

HABITATS - Europe

PART USED :- Flower, Leaves, Stem

INDICATION:- Expectorant , Diuretic , Mild sedative, Anti inflammatory
Reduce cholesterol, Treat bladder problems , Fever , Indigestion Asthma ,
Cough, Flu, Sore throat

DESCRIPTION :- It has narrow stem .Leaves wider . Flower dense.

CONSTITUENTS :- Essence , Insulin , Resin , Mucilage, Tannin

96. SPIGELIA ANTHELMIA

COMMON NAME :- PINK ROOT



SPIGELIA ANTHELMIA

USED IN

ELECTROPATHY REMEDIES - VERM2

FAMILY - Loganiaceae

HABITATS - West India , Europe.

PART USED :- Root/ Whole Plant.

INDICATION :- Vermifuge, Criminal Poison

DESCRIPTION :- Herb - Perineal, Height - 2 feet Flower - Bright red, Leaves - Opposite, Ovate, Pointed, Rhizome- Dark in color, Stem - Herbaceous , Branched , Channeled.

CONSTITUENTS :- Spigeline , Resin , Volatile Oil

97. STEFFENSIA ELONGATA

COMMON NAME :- MATICO PLANT



STEFFENSIA ELONGATA

USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven1 to Ven 5 +Sy.

FAMILY - Pipenaceae

HABITATS - Central America, West India

PART USED :- Leaves

INDICATION :- Anti-septic , Anti-haemorrhagic

DESCRIPTION :- Leaves - Alternates, Stem - Slender, Flower - Bisexual , No .
Petals

CONSTITUENTS :- Stearoptene , Camper , Matico


98. STRYCHNOS NUX VOMICA

COMMON NAME :- STRYCHNINE/ POISON NUT



STRYCHNOS NUX VOMICA

REMARK - In India the Clearing Nut is put in water jars, causing any impurities in the water to sink to the bottom. The Amazon climber S. Nux vomica was part of the curare arrow poison and is now a life saving muscle relaxant in surgical operations.



USED IN

ELECTROPATHY REMEDIES - L2, S1, S7, S8, C9, C15, C16, SY

FAMILY - Loganiaceae

HABITATS - India, Burma

PART USED :- Leave , Root , Shrub , Seed , Wood

INDICATION :- Digestive tonic, For menstrual problems, Paralysis , Rabies .

DESCRIPTION :- Leaves - Oval, Flowers - Greenish - white, Fruit - Yellow , tennis-ball, Seeds - Grey

CONSTITUENTS :- Strychine , Brucin

99. SYMPHYTUM OFFICINALE

COMMON NAME :- COMFRAY



SYMPHYTUM OFFICINALE

USED IN

ELECTROPATHY REMEDIES - C4

FAMILY - Boraginaceae

HABITATS - Europe

PART USED :- Leaves, Bark, Root, Shoot

INDICATION :- Ulcerated digestive tract & Cough, Renewal in damaged muscles & broken bones, Poultice reduces swelling & bruising, Heals cuts, burns, eczema.

DESCRIPTION :- It has deep taproot, oval, pointed, rough leaves. Flowers are tubular.

CONSTITUENTS :- Consolidine.

100. TANACETUM VULGARE

COMMON NAME :- TANSY



TANACETUM VULGARE

REMARK- Tansy may be poisonous internally.

USED IN

ELECTROPATHY REMEDIES - VERM 2

FAMILY - Compositae

HABITATS - Europe

PART USED :- Flowers, Leaves, Stem, Seeds, Fruit.

INDICATION :- Powerful insect repellent., Aerial parts give a facial steam., Poultice for bruise., Expel worm.

DESCRIPTION :- Musted yellow flowers., Stem - erect & pungent., Leaves - pinnately lobed.

CONSTITUENTS :- Tanacetin, Tanacetotannic acid, Resin Essence.



101. TARAXACUM LEONTODON

COMMON NAME :- DONDELION



USED IN

ELECTROPATHY REMEDIES - White Electricity

FAMILY-Compositiae

HABITATS - Britain & Europe

PART USED :- Root

INDICATION :- Laxative, Cholagogic, Special action on digestive system.

DESCRIPTION :- Leaves - sessile, Flowers - yellow, lingulate.

Stem - hollow & leafless, Root - tap root.

CONSTITUENTS :- choline, insulin, mucilage, phytosterol, tannin, taraxacin

102. TAXUS BACCATA

COMMON NAME :- YEW TREE



TAXUS BACCATA

USED IN

ELECTROPATHY REMEDIES - W.E.

FAMILY - Taxaceae.

HABITATS - Asia/ Europe

PART USED :- Leaves & Woods.

INDICATION :- Decoction - soothe nervous., Leaf - Cooled.

DESCRIPTION :- Slow growing, long lived evergreen found in the wild.

CONSTITUENTS :-

Taxin, Taxicotine, Milossin, Resin, Tannin, Essence.

103. TEUCRIUM SCORODONIA.

COMMON NAME :- GARDEN SAGE.



TEUCRIUM SCORODONIA

USED IN

ELECTROPATHY REMEDIES - P2, P5, P7, P8

FAMILY - Labiatae

HABITATS - Europe & Asia.

PART USED :- Leaf.

INDICATION :- Anti -Septic., Anti - Rheumatic.

DESCRIPTION :- Stem- Quadrangular., Flowers - Grow in long spikes, Yellow Flowers., Leaves - Stalked. Ovate, Opposite.

CONSTITUENTS :- BITTER SUBSTANCES.

104. THUJA OCCIDENTALIS

COMMON NAME :- EASTERN ARBOR VITAE.



THUJA OCCIDENTALIS

USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven1 to Ven5+Sy

FAMILY - Cupressaceae

HABITATS - Asia, Europe

PART USED :- Leaves, Stem,
Bark Wood, Essential Oil.

INDICATION :- Use for vaginal infection, Urinary & Bronchial Infection.,
Tincture - used for warts & Skin Infections., Essential Oil For Toxic Reaction.

DESCRIPTION :- Bark - Orange Brown., Leaves - Yellow & green., Shoot -
upright cones are present.

CONSTITUENTS :- Thiyin, Thujic Acid, Wax Sugar, Thyalic Acid.

105. THYMUS SERPHELLUM

COMMON NAME :- WILD THYME./MOTHER OF THYME



THYMUS SERPHELLUM

USED IN

ELECTROPATHY REMEDIES - Verm 1+Sy.

FAMILY - Labiatae.

HABITATS - Europe.

PART USED :- Flowers, Leaves & Stem.

INDICATION :- To reduced indigestion & flatulence., Sedatives., Heals sore skin., Anti - Septic, Calming., Expectorant, cough Spasm, Flu.

DESCRIPTION :- This mat forming, creeping shrub has oval leaves & pink flowers.

CONSTITUENTS :- Carvacrol, Pinene, Resin, Tannin, Saponin, Thymol.

106. **TILIA EUROPAEA.**

COMMON NAME :- LIME./LINDEN



TILIA EUROPAEA

USED IN

ELECTROPATHY REMEDIES - S4+P5+Ven 1 to Ven5+C8+C9+C11+Sy.

FAMILY - Tiliaceae.

HABITATS - Europe

PART USED :- Flowers , Leaves, Stem, Barks.

INDICATION :- Treat nervous system, Insomnia, Induces sweating which reduces cold, flu, headache, Arteriosclerosis., Treat Kidney Stones, Gout.

DESCRIPTION :- It has very small flowers, Difficulty to identify the plants.

CONSTITUENTS: Alkaloids.

107. TUSSILAGO FARFARA.

COMMON NAME :- COLTS FOOT



USED IN

ELECTROPATHY REMEDIES - L2+ S1 to S11+Ven 2+, Ven 3+Ven 5
C8+C9+C11+SY

FAMILY - Compositae

HABITATS- Europe & Asia & North Africa.

PART USED :- Flowers, Leaves, Roots.

INDICATION:- Leaves - rich in Vitamin - C & Zinc., Flowers - reduce
catarrh & Stimulant Immune Cell

DESCRIPTION :- Rhizome - creeping, Stem - scaly, Flowers - yellow.

CONSTITUENTS :- Tussilaginine, Mucilage, Gallic Acid, Acetic Acid,
Essence, Vitamine - C.

108. URAGAGO IPECACUANHA

COMMON NAME :- EMETIC ROOT/IPECAC ROOT



URAGAGO IPECACUANHA

USED IN

ELECTROPATHY REMEDIES -P1 to P9+Sy.

FAMILY - Rubiaceae

HABITATS - Asia & Europe.

PART USED :- Roots.

INDICATION :- Action resp. system

DESCRIPTION :- Stem - rising from 5 - 9 inches in height. Root - cylindrical 3-4 inches in length & brown in colour., Leaves - oval, sessile & opposite., Flowers - aggregated in solitary head.

CONSTITUENTS :- Emetin, Psychitrine, Cephatine.

109. VERONICA OFFICINALIS.

COMMON NAME :- SPEED WELL



VERONICA OFFICINALIS

USED IN

ELECTROPATHY REMEDIES - L2+S1 to S11, P5, Ven 1, to Ven5 + C9+C9+C11+ Sy.

FAMILY - Scrophulariaceae.

HABITATS - Europe & America.

PART USED :- Whole Plant.

INDICATION :- Astringent., Invigorating, Appetizer & Digestive, Expectorant, Diuretic & Depurative, Pharyngitis, catarrh, cough, Bronchitis.

DESCRIPTION :- Stem -Slender & Hairy, Leaves - opposite, oval, obtuse. Flowers - Blue in Color.

CONSTITUENTS :- Glucosides.

110. VIBURNUM OFFICINALIS

COMMON NAME : CRAMP BARK/ GUELDER ROSE



VIBURNUM OFFICINALIS

USED IN

ELECTROPATHY

REMEDIES - Ven 1 +S4+P5+Ven 2 to Ven 5

FAMILY - Caprifoliaceae.

HABITATS - Europe, Asia, America.

PART USED :- Stem, Fruit, Bark.

INDICATION :- Sedatives, Anti - Spasmodic, Reduce muscle cramps, Treat mumps by use stem bark.

DESCRIPTION :- Deciduous - thicket forming, Shrub - attractive, Flowers - creamy, Leaves - maple like.

CONSTITUENTS :- Alkaloid, Oil.

111. VINCA MINORA.

COMMON NAME :- LESSER PERIWINKLE.



VINCA MINORA

USED IN

ELECTROPATHY REMEDIES - P5+Ven1 to Ven5 +Sy.

FAMILY - Apocynaceae

HABITATS - France, Italy.

PART USED :- Flower, Leave & Root.


INDICATION :- Leaves are tonic & astringent & to reduce internal Bleeding., Menstrual Bleeding, Ulcer & sore throat, Reduce B.P, Treat piles, Nose Bleeds & Small Wounds.

DESCRIPTION :- It is an Evergreen with Blue, Pink, White Colored Flowers.

CONSTITUENTS :- Vincine, Vincoside, Saponin, Tannin, Isovincamine.

112. VINCETOXICUM OFFICINALIS

COMMON NAME :- SWALLOW WORT.



VINCETOXICUM OFFICINALIS

USED IN

ELECTROPATHY REMEDIES -P2+P5 to P9 +Ven 2 + Ven 3+ C1 to C17+ Sy.

FAMILY - Scrophulariaceae

HABITATS - Europe & Britain.

PART USED :- Herb.

INDICATION :- Expectorant, Diuretic, Promotes menstruation, Acts on Skin.

DESCRIPTION :- Perennial herb with a Rhizome, Stem - erect, tall & hollow.
Root - fibrous, Leaves - opposite, short stalked, ovate, Flowers - Yellowish
White Color, Fruit - Elongate Capsule.

CONSTITUENTS :- Saponin, Essential Oil, Mucilage, Sugar, and Vincetoxin.

113. VISCUM ALBUM.

COMMON NAME :- MISTLE/MISTLETOE.



VISCUM ALBUM

USED IN

ELECTROPATHY REMEDIES - W.E.

FAMILY - Viscaceae.

HABITATS - Europe & Asia.

PART USED :- Leaves, Stems & Fruit.

INDICATION :- Heart tonic, Strengthen Capillary Walls, Stimulant Immune System, Inhibits tumors.

DESCRIPTION :- Flowers are Cluster that produces white winter berries

CONSTITUENTS :- Choline, Viscofleavin, Inositol, Mannitol, Saponin, Salts, Resin & Vitamin-C

114. VITIS VINIFERA.

COMMON NAME:- GRAPE/VINE



VITIS VINIFERA

USED IN

ELECTROHOMEOPATHY REMEDIES - R.E +A.P.P.

FAMILY - Vitaceae.

HABITATS - Europe, Asia.

PART USED :- Leaves, Stem, Fruit, Seed.

INDICATION :- Anti - Inflammatory, Astringent.

DESCRIPTION :- Leaves - lobed, Flowers - pale green, Fruit - purple & green in color.

CONSTITUENTS :- Tannin, Sugars, Choline, Inositole, Corotene